

HUNTER SWING JOINTS



- Swivel elbows on both ends
- Pressure rated to 10 bar
- Each end can rotate in multiple directions
- Great for 1/2" & 3/4" pop-up sprinklers
- 6" & 12" options available

Catalogue No	Old Catalogue No	Inlet BSP" M	Outlet BSP" M	Length Inch	Price £	Box Qty
HJ0506	2SJH1106	1/2"	1/2"	6	3.60	150
HJ0512	2SJH1112	1/2"	1/2"	12	4.30	200
HJ0706	2SJH2206	3/4"	3/4"	6	3.90	100
HJ0712	2SJH2212	3/4"	3/4"	12	4.50	100
HJ7506	2SJH1206	1/2"	3/4"	6	4.00	150
HJ7512	2SJH1212	1/2"	3/4"	12	4.50	100



Catalogue No	Old Catalogue No	Inlet BSP" M	Outlet	Type	Price £	Box Qty
HJ032412		3/4"	3/4" BSP	Triple Top	58.60	15
HJ165412	2SJH165412	1"	1" BSP M	Triple Top	83.90	15
HJ168212		1"	1 1/2" Acme	Standard	52.50	15
HJ168412	2SJH168412	1"	1 1/2" Acme	Triple Top	83.90	15
HJ260412	2SJH260412	1 1/4"	1 1/4" Acme	Triple Top	110.30	15
HJ268412	2SJH268412	1 1/4"	1 1/2" Acme	Triple Top	110.30	15
HJ360212	2SJH360212	1 1/2"	1 1/2" Acme	Standard	92.10	10
HJ360412	2SJH360412	1 1/2"	1 1/2" Acme	Triple Top	131.70	15
HJ365418		1 1/2"	1 1/2" BSP M	Triple Top	138.10	15
HJ16U212	2SJH16U212	1"	1" BSP M	Non Turn - QCV Stab	112.10	15

Catalogue No	Inlet Elbow BSP" M	Outlet	Length Inch	Price £	Box Qty
HJ1B5212	1"	1" BSP M	12	52.50	15
HJ3B5212	1 1/2"	1 1/2" BSP M	12	92.10	15
HJ2B0212	1 1/4"	1 1/4" Acme	12	75.70	15
HJ3B0212	1 1/2"	1 1/2" Acme	12	92.10	15
HJ1B8212	1"	1 1/2" Acme	12	52.50	20
HJ2B8212	1 1/4"	1 1/2" Acme	12	75.70	15

HUNTER FLEXIBLE TUBE & SPIRAL ELBOWS

- Equivalent to Funny Pipe
- 1/2" flexible tube for connecting sprinklers
- 1/2" & 3/4" spiral barbed elbows
- Tubing comes in 30m (100') rolls

Catalogue No	Old Catalogue No	Description	Price £	Box Qty
HJBFLEX-30	2SJBFLX-30	30M Roll - 1/2" Flexible Tubing	62.70	50
HJBE1M	2SJB1M	Spiral Barbed Elbow x 1/2" MPT	0.50	200
HJBE2M	2SJB2M	Spiral Barbed Elbow x 3/4" MPT	0.50	200
HJBETOOL	2SJBETOOL	Installation tool	8.70	150



DURA SWING JOINTS



- Swing joints for valve-in-head sprinklers & other applications where static pressure will be applied to the joints
- Rigid PVC with o-ring joints in the elbows

Catalogue No	Inlet BSP" M	Outlet BSP" M	Length Inch	Price £	Box Qty
2SJD2208	3/4"	3/4"	8	37.90	25
2SJD2212	3/4"	3/4"	12	40.60	25
2SJD2214	3/4" Elb	3/4" Elb	12	40.60	25
2SJD3308	1"	1"	8	53.80	10
2SJD3312	1"	1"	12	60.40	10
2SJD3318	1"	1"	18	66.90	10
2SJD4412	1 1/4"	1 1/4"	12	80.10	10
2SJD5512	1 1/2"	1 1/2"	12	97.40	10

Catalogue No	Inlet BSP" M	Outlet Acme	Length Inch	Price £	Box Qty
2SJDA4312	1"	1 1/4"	12	60.40	10
2SJDA4412	1 1/4"	1 1/4"	12	80.10	10
2SJDA5312	1"	1 1/2"	12	60.40	10
2SJDA5412	1 1/4"	1 1/2"	12	80.10	10
2SJDA5512	1 1/2"	1 1/2"	12	97.40	10

DURA ADDITIONAL ELBOWS

Catalogue No	Inlet Female Swing	Outlet Male Swing	Price £	Box Qty
2SJDE22	3/4"	3/4"	9.40	50
2SJDE33	1"	1"	10.50	50
2SJDE44	1 1/4"	1 1/4"	10.20	50
2SJDE55	1 1/2"	1 1/2"	19.40	50

Catalogue No	Inlet Female Swing	Outlet BSP" M	Price £	Box Qty
2SJDEFS33	1"	1"	10.50	50

Catalogue No	Inlet Female Swing	Outlet Acme	Price £	Box Qty
2SJDEA33	1"	1"	12.00	50
2SJDEA43	1"	1 1/4"	12.40	50
2SJDEA53	1"	1 1/2"	12.00	50
2SJDEA44	1 1/4"	1 1/4"	12.00	50
2SJDEA54	1 1/4"	1 1/2"	12.00	50
2SJDEA45	1 1/2"	1 1/4"	11.80	50
2SJDEA55	1 1/2"	1 1/2"	35.40	50

HUNTER BRASS QUICK COUPLERS (QC)



Catalogue No	Description	Price £
HSZHQ5LR	QC Valve 1" inlet. Locking Rubber Cover	204.20
HSZHK55	QC Key 1" Outlet	167.80
HSZHLK	Lid Key	18.20
HSZHS2B	1" BSP Hose Swivel Elbow	120.30



- All MP Rotators require a Hunter Pro-Spray or shrub-head body to fit into
- The 90° option adjusts from 90°-210°
- The 210° option adjusts from 210°-270°
- The 360° option is a true full circle head
- Matched precipitation; the precipitation rate is proportionate with the spray coverage
- Radius can be reduced by 25% on all models
- Use the MP Tool to make adjustments
- 2 year warranty

MP 1000 (UP TO 4.5M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP10-090	90-210°	Maroon	13.30
HSMP10-210	210-270°	Light Blue	13.30
HSMP10-360	Full Circle	Olive	13.30

MP 2000 (UP TO 6.7M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP20-090	90-210°	Black	13.30
HSMP20-210	210-270°	Green	13.30
HSMP20-360	Full Circle	Red	13.30

MP 3000 (UP TO 9.1M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP30-090	90-210°	Blue	13.30
HSMP30-210	210-270°	Yellow	13.30
HSMP30-360	Full Circle	Grey	13.30

MP 3500 (UP TO 11M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP35-090	90-210°	Lt. Brown	13.30

MP STRIPS (UP TO 4.5M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP1LCS	Left Corner 1.5 x 4.6M	Ivory	13.30
HSMP1RCS	Right Corner 1.5 x 4.6M	Copper	13.30
HSMP1SS	Side Strip 1.5 x 9.1M	Brown	13.30
HSMP1PCS	Corner 45-105° 4.1M	Turquoise	13.30

MP 800SR - SHORT RANGE (UP TO 3.5M RADIUS)

Catalogue No	Description	Colour	Price £
HSMP80SR-90	1.8 x 3.5m 90-210°	Orange & Grey	13.30
HSMP80SR-360	1.8 x 3.5m 360°	Lime & Grey	13.30
HSMP815-90	2.5 x 4.9m 90-210°	Maroon & Grey	13.30
HSMP815-210	2.5 x 4.9m 210-270°	Lt Blue & Grey	13.30
HSMP815-360	2.5 x 4.9m 360°	Olive & Grey	13.30

MP ROTATOR SPARES

Catalogue No	Description	Price £
HSMP1SCREEN	Fine filter for MP Rotator	0.75
HSMP1SCREENSP	Course filter for MP Rotator	0.75

MP STAKES



Catalogue No	Description	Price £
HSMPSAKE	71cm Staking Kit, 8mm Tubing to 1/2" M BSP, HSPROS-00	29.60
HSMPSAKE-P4C	86cm Staking Kit, 8mm Tubing to 1/2" M BSP, HCV, HSPRS40-00	45.70

HUNTER PRO ADJUSTABLE SPRAY NOZZLES



- Designed to fit Pro-Spray & PRS-30 bodies
- Matched precipitation for different angles
- Adjust with your fingers or the Hunter key
- Large droplets to withstand light winds
- Colour coded for easy identification
- Adjustable 0° - 360°
- Recommended operating pressure 2 Bar
- Hence the PRS-30 body is designed for sprays

Catalogue No	Description	Colour	Price £
HSPSN04A	4' Radius (1.2M)	Lt. Green	2.10
HSPSN06A	6' Radius (1.8M)	Lt. Blue	2.10
HSPSN08A	8' Radius (2.4M)	Brown	2.10
HSPSN10A	10' Radius (3M)	Red	2.10
HSPSN12A	12' Radius (3.7M)	Green	2.10
HSPSN15A	15' Radius (4.6M)	Black	2.10
HSPSN17A	17' Radius (5.2M)	Grey	2.10
HSPSN08A-SN	25-360° 8' (2.6M) Stream	Blue	2.10
HSPSN16A-SN	25-360° 17' (5.3M) Stream	Blue	2.10
HSSRN04H	180° Short Range Nozzle	Lt. Green	2.10
HSSRN04Q	90° Short Range Nozzle	Lt. Green	2.10
HSSRN06H	180° Short Range Nozzle	Lt. Blue	2.10
HSSRN06Q	90° Short Range Nozzle	Lt. Blue	2.10

HUNTER STRIP PATTERN SPRAY NOZZLES



- Designed to fit the Pro-Spray & PRS-30 bodies
- For narrow strips: rectangular pattern
- To operate these at optimal pressure, use the PRS-30 pressure regulated body

Catalogue No	Description	Colour	Price £
HSPSNLCS	Left Corner 5' x 15' (1.5 x 4.5M)	Blue	2.45
HSPSNRCS	Right Corner 5' x 15' (1.5 x 4.5M)	Blue	2.45
HSPSNCS	Centre Strip 5' x 30' (4.5M) each way	Blue	2.45
HSPSNES	End Strip 5' x 15' (1.5 x 4.5M)	Blue	2.45
HSPSNSS530	Side Strip 5' x 30' (1.5 x 9.1M)	Blue	2.45

HUNTER BUBBLER NOZZLES



- Fits into the Pro-Spray pop-up or shrubhead
- Up to 7.6 l/m flow rate.
- Pressure range 1 - 4 Bar

Catalogue No	Description	Colour	Price £
HSMSBN-050Q	Multi Stream 1/4 Circle 1.9l/min	Lt. Green	3.98
HSPCN-02	0.9 l/min Trickle Pattern	Lt. Blue	3.98
HSPCN-05	1.9 l/min Trickle Pattern	Lt. Green	3.98
HSPCN-10	3.8 l/min Umbrella Pattern	Red	3.98
HSPCN-20	7.6 l/min Umbrella Pattern	Yellow	3.98

All diameters listed are at 2.1 Bar (32PSI)

STANDARD PRO-SPRAY BODY



- 1/2" BSP female inlet on all models
- Compatible with female threaded nozzles
- Recommended pressure range 1 - 7 Bar
- Check-valve models; check to 3m elevation
- Side & bottom inlets on the 6" & 12" models
- Pressure-activated wiper seal

Catalogue No	Description	Price £	Box Qty
HSPROS-00	Shrub Adaptor	1.90	250
HSPROS-02	2" Pop Up	3.80	50
HSPROS-04	4" Pop Up	3.50	50
HSPROS-06	6" Pop Up	13.10	25
HSPROS-12	12" Pop Up	24.00	25
HSPROS-04-CV	4" Pop Up c/w Check Valve	8.40	50
HSPROS-06-CV	6" Pop Up c/w Check Valve	21.00	25
HSZ437400	Pro-Spray Check Valve	5.50	25

PRS-30 PRESSURE-REGULATED BODY ONLY



- Pro-Spray body with built-in 30psi (2.1 Bar) pressure regulator to control the flow rate
- Designed for Hunter adjustable spray nozzles
- Check valve models; check to 3m elevation
- Side & bottom inlets on the 6" & 12" models
- Pressure-activated wiper seal
- Tan coloured top denotes PRS-30

Catalogue No	Description	Price £	Box Qty
HSPRS30-00	2.1 Bar Regulated Shrub Head	9.30	250
HSPRS30-04	2.1 Bar Regulated 4" Pop Up	11.60	50
HSPRS30-12	2.1 Bar Regulated 12" Pop Up	31.90	25
HSPRS30-04-CV	2.1 Bar Reg 4" Pop Up c/w Check Valve	15.20	50
HSPRS30-06-CV	2.1 Bar Reg 6" Pop Up c/w Check Valve	33.40	25
HSPRS30-12-CV	2.1 Bar Reg 12" Pop Up c/w Check Valve	40.90	25

PRS-40 PRESSURE-REGULATED BODY ONLY



- Pro-Spray body with built-in 40 psi (2.8 Bar) pressure regulator to control the flow rate
- Designed for the MP Rotator
- Check-valve models; check to 3m elevation
- 5 year warranty
- Heavy duty spring
- Side & bottom inlets on the 6" & 12" models
- Pressure-activated wiper seal
- Grey coloured top denotes PRS-40

Catalogue No	Description	Price £	Box Qty
HSPRS40-00	2.8 Bar Regulated Shrub-head	9.30	250
HSPRS40-12	2.8 Bar Reg 12" Pop Up – Side Inlet	34.00	50
HSPRS40-04-CV	2.8 Bar Reg 4" Pop Up c/w Check Valve	15.20	50
HSPRS40-06-CV	2.8 Bar Reg 6" Pop Up c/w Check Valve	33.40	25
HSPRS40-12-CV	2.8 Bar Reg 12" Pop Up c/w Check Valve	40.90	25

SRM ROTOR



- 1/2" BSP Female inlet
- Adjustable arc from 40° to 360°
- Radius: 4.0 to 10.7
- Flow: 0.08 to 1.0 m³/hr; 1.4 to 16.7 l/min
- Complete with 8-nozzle rack
- Warranty period: 1 year

Catalogue No	Description	Price £	Box Qty
HSSRM-04	4" Pop Up	18.20	25

PGJ ROTOR



- 2 year warranty on all "P" series rotors
- 1/2" BSP female inlet
- Complete with 8-nozzle rack
- Radius 4.3 - 11.6 metres
- Recommended pressure range 1.4-6.9 Bar
- 14 degree nozzle trajectory
- Pop-up versions in 4", 6" & 12" height

Catalogue No	Description	Price £	Box Qty
HSPGJ-00	Shrub Version	20.20	25
HSPGJ-04	4" Pop Up	18.70	25
HSPGJ-06	6" Pop Up	39.90	25
HSPGJ-12	12" Pop Up	55.90	12
HSZ302500	Check Valve for PGJ	1.20	25

PGP ADJ & PGP ULTRA ROTORS



- 3/4" female BSP bottom inlet
- Nozzle rack has 8 standard blue nozzles and 4 grey low angle nozzles
- PGP Ultra - Radius 4.9-14 metres.
- PGP ADJ - Radius 6.4 to 15.8 m
- Flow rate 0.07-3.23 m³/hour
- Recommended pressure 1.4 to 7 Bar
- 25 degree standard blue nozzle trajectory
- 13 degree low angle grey trajectory
- Check valve will hold max. 3m elevation

Catalogue No	Description	Price £	Box Qty
HSPGP-00	Shrub Head	20.50	20
HSPGP-00-CV	Shrub Head c/w Check Valve	27.90	160
HSPGP-ADJB	4" Pop Up	19.30	20
HSPGP-04	Ultra - 4" Pop Up	21.00	20
HSPGP-04-CV	Ultra - 4" Pop Up c/w Check Valve	30.80	20
HSZ142300	Check valve & screen assy. For PGP	1.20	25

PRO SPRAY AND PG SERIES SPARES

Catalogue No	Description	Price £
HSZ462078	PGJ Check valve (bag of 25)	0.90
HSZ538700	PGJ nozzle rack	0.60
HSZ130900	PGP original Red Nozzle RK (12No)	0.60
HSZ466100	PGP Ultrashort Radius (6 x black)	0.60
HSZ233200	PGP.Orig. Low angle Nozzle RK (7No)	0.60
HSZ782900	Nozzle RK (8std, 4 low) for PGP/1-20	0.60
HSZ916400	Hunter Shut Off Nozzle - Pro Spray	2.20
HSZ213600	Pro-Spray Shut Off Cap - PK 5	2.40

I-20 COMMERCIAL ROTOR


- Radius up to 14 metres
- 3/4" BSP female inlet
- Complete with 8 standard & 4 low Angle nozzles
- Part & full circle in one sprinkler
- Flo-stop control; Reduce the radius and even turn the sprinkler off through the top
- Drain check valve (3m) standard on all models
- Flow rate 0.07-3.23 m³/hour
- 25 Degree standard blue nozzle trajectory
- 13 Degree low angle grey trajectory

Catalogue No	Description	Price £	Box Qty
HSI20-04	4" Pop Up, Plastic Riser	36.00	20
HSI20-04-SS	4" Pop Up, Stainless Riser	50.40	20
HSI20-06-SS	6" Pop Up, Stainless Riser	69.10	20
HSI20-12	12" Pop Up, Plastic Riser	74.90	12

I-25 COMMERCIAL ROTOR


- Radius 11.9 - 21.6 metres
- 1" BSP female inlet
- Part & full circle in one sprinkler
- Drain check valve (3m) standard on all models
- Flow rate 0.82 - 7.24 m³/hour
- Recommended pressure 4-7 Bar
- 25 degree nozzle trajectory

Catalogue No	Description	Price £	Box Qty
HSI25-04	4" Pop Up, Plastic Riser	80.00	12
HSI25-04-SS	4" Pop Up, Stainless Riser	104.70	12
HSI25-06	6" Pop Up, Plastic Riser	106.20	12
HSI25-06-SS	6" Pop Up, Stainless Riser	128.00	12

I-40 COMMERCIAL ROTOR


- All I-40 models have stainless risers
- 1" BSP female inlet
- Opposing nozzle version provides greater throw
- Standard model radius 13 - 21.3 metres
- Opposing nozzle radius 15 - 23.2 metres
- Recommended pressure range 2.8 - 7 Bar
- Part & full circle in one model
- 5 Year warranty

Catalogue No	Description	Price £	Box Qty
HSI40-04-SS	4" Pop Up	158.50	12
HSI40-04SSO	4" Pop Up, Opposing Nozzles	180.30	12
HSI40-06-SS	6" Pop Up	181.80	12
HSI40-06SSO	6" Pop Up, Opposing Nozzles	196.30	12
HSI40-TC	Turf Cup for I40	60.40	25

I-50 COMMERCIAL ROTOR


- 1" BSP Female inlet
- Standard model radius 13-21.3 meters
- Opposing nozzle radius 16-23.2 meters
- Perfect for harsh water conditions
- Tool free PC and FC adjustment
- 50° to 360°
- Opposing noz. model for even watering in FC
- 5 Year warranty

Catalogue No	Description	Price £	Box Qty
HSI50-06-SS	6" Pop Up, Adjustable	208.20	12
HSI50-06-SSO	6" Pop Up, Full Circle, Opposing Nozzles	219.80	12

I-80 TURF ROTOR


- 1 1/2" BSP female bottom inlet.
- All I-80 models have ratcheting stainless steel riser
- No-dig servicing of riser assembly
- No-dig arc adjustments
- Quick-release turf cup assembly
- Threads in cup lock/retain the turf
- Exclusive Total-Top-Service (TTS) design
- I-80 standard radius: 11.3 m to 28.7 m
- I-80-ON radius: 14.9 to 29.6 m
- Warranty period: 5 years

Catalogue No	Description	Price £	Box Qty
HSI80-04-SS	4" Pop Up, Adjustable	285.20	6
HSI80-04-SSO	4" Pop Up, Full Circle, Opposing Nozzles	307.10	6
HSI80-TC	I-80 Turf Cup Kit	119.00	NA

I-90 LARGE TURF ROTOR


- 1 1/2" BSP female bottom inlet.
- Radius up to 30.8 metres
- Flow rate 5 - 18.6 m³/hour
- Recommended pressure range 4 - 7.5 bar.
- Pop-up height 3".
- Plastic riser only (no stainless options)
- 5 year warranty

Catalogue No	Description	Price £	Box Qty
HSI90-ADV	Adjustable Arc	295.10	6
HSI90-36V	Full Circle	295.10	6
HSI90-TC	I-90 Turf Cup Kit	84.90	NA

ST-1600 SYSTEMS


ST-1600B



ST-1600BR



Vault for ST-1600-B systems

- Designed for synthetic sports pitches
- Radius 32.5 - 50.3 metres
- Flow rate 22 - 74 m³/hour
- Required pressure range 4 - 8 Bar

Catalogue No	Description	Price £
HSST-1600-BHS	ST-1600B Series Pop-up, High Speed	2194.00
HSST-1600-BR	ST-1600BR Series Riser Mounted	1089.10
Accessories:		
HSST-1600-IBS	In-fill Barrier System	272.70
HSST243642-B	Vault for ST-1600-B System	2007.00
HSST-BKT1600	ST-1600 Hanger Bracket	454.50

ST-1700V ROTOR


- Total-Top-Service design for convenient no-dig servicing
- Valve-in-head simplifies installation
- Heavy duty internal gear drive for years of reliability

Catalogue No	Description	Price £
HSST-1700-V	ST-1700 VIH Pop Up Rotor	2726.30

B SERIES ROTORS G70/75B & G80/85B



- Inlet 1 1/4" ACME
- Max. radius 22.9M (G70B)
21.6M (G75B).
- Max. radius 28.7m (G85B)
- G70B is full circle
- G75B/G85B is adjustable arc (50°-360°)
- 6 full circle nozzles (25°) (G70/75B)
- 9 part circle nozzles (25°) (G70/75B)
- G85 uses 885 nozzles
- Flow rate 1.75 - 7.6 m³/hour
(30-127 l/min). (G70/75B)
- Required pressure range 2.8- 6.9 bar.
- 3 year warranty

Catalogue No	Description	Price £
HSG70B	Full Circle, Block, 1 1/4" Acme	194.60
HSG75B	Adjustable Arc, Block PC 1 1/4" Acme	220.30
HSG85B	Adjustable Arc, Block, 1 1/4" Acme	266.80

ACME-TO-BSP ADAPTOR BUSHES

- Use the 1 1/4" Acme adaptors for the G35B, G75B & G85B sprinklers
- Use the 1 1/2" Acme adaptors for all Hunter electric VIH sprinklers

Catalogue No	Inlet Acme Male	Outlet BSP " Female	Price £
HSCB3AM3F	1"	1	13.30
HSCB4AM3F	1 1/4"	1	13.20
HSCB4AM5F	1 1/4"	1 1/2	13.20
HSCB5AM3F	1 1/2"	1	20.10
HSCB5AM4F	1 1/2"	1 1/4	20.10
HSCB5AM5F	1 1/2"	1 1/2	20.10

G900 SERIES GOLF HEADS



- Radius 22.3m- 31.7m (111-317 l/min)
- 1 1/2" Acme inlet
- 8 standard trajectory nozzles (22.5°)
- 8 low angle trajectory nozzles (15°)
- Flow rate 7 - 19 m³/hour (111-317 l/min).
- Required pressure range 5.5- 8.3 bar.
- 40 to 360 degree adjustable arc range

Catalogue No	Description	Price £
HSG990E	Full Circle, Electric VIH	527.40
HSG995E	Adjustable Arc, Electric VIH	572.70

G800 SERIES GOLF HEADS



- Radius 20.4M- 26.8M
- 1 1/2 acme inlet
- Nozzle Ranges includes 12 std trajectory (22.5°) & 9 low angle (15°) nozzles.
- Back nozzle capability.
- Flow rate 5 - 13 m³/hour (83-217 l/min).
- Required pressure range 3.5- 7 bar.
- Body only, select riser assembly separately

Catalogue No	Description	Price £
HSG800EP8	Electric VIH, Body Only, 1 1/2" Acme	283.90
HSG800DP8	Decoder in Head, Body Only, 1 1/2" Acme	565.30

TTS-800 SERIES GOLF HEADS



- Radius 11.3m- 28.7m
- Comes with std nozzle no 25
- 885 is adjustable arc (50°-360°)
- Wide range of nozzles including 12 standard trajectory (22.5°) & 9 low angle (15°) nozzles along with a range of 8 contour back nozzles
- Flow rate 2 - 13.5 m³/hour (33-225 l/min)
- Required pressure range 3.4 to 6.9 Bar
- Built in adjustable pressure regulation
- 3 Year warranty; up to 5 years if purchased with Hunter swing joint
- New TTS compartment with cable ports large enough for DBR-Y connectors
- New modular colour coded parts for even easier servicing and space saving
- Body only, select riser assembly separately

Catalogue No	Description	Price £
HSGT800EP8	TTS Electric VIH, Body Only, 1 1/2" Acme	334.10
HSGT800DP8	TTS Decoder in Head, Body Only, 1 1/2" Acme	622.80
Accessories:		
HSZ987200SP	Low Bounce Cover - Black	153.40
HSZ987201SP	Low Bounce Cover - Green	153.40
HSZ987100SP	No-Bounce Cover Kit	190.90

TTS-800 & G-800 SERIES INTERNAL RISER ASSEMBLIES

Internal riser to be added to either G-800 or TTS-800 series bodies
885 Come factory set as 180o Part Circle and can be adjusted to be full circle

Catalogue No	Description	Price £
HSZG885INT10	TTS/G 885 internal assembly #10 Nozzle	241.10
HSZG885INT13	TTS/G 885 internal assembly #13 Nozzle	241.10
HSZG885INT15	TTS/G 885 internal assembly #15 Nozzle	241.10
HSZG885INT18	TTS/G 885 internal assembly #18 Nozzle	241.10
HSZG885INT20	TTS/G 885 internal assembly #20 Nozzle	241.10
HSZG885INT23	TTS/G 885 internal assembly #23 Nozzle	241.10
HSZG885INT25	TTS/G 885 internal assembly #25 Nozzle	241.10
HSZG885INT33	TTS/G 885 internal assembly #33 Nozzle	241.10
HSZG885INT38	TTS/G 885 internal assembly #38 Nozzle	241.10
HSZG885INT43	TTS/G 885 internal assembly #43 Nozzle	241.10
HSZG885INT48	TTS/G 885 internal assembly #48 Nozzle	241.10
HSZG885INT53	TTS/G 885 internal assembly #53 Nozzle	241.10

Comes with Variable Stator

Comes with Adjustable Stator

By special order (not stocked)	
880	Come factory set as 360° Full Circle and cannot be adjusted
884	Come factory set as 360° Full Circle and can be adjusted to be part circle



TOOLS

Catalogue No	Item	Description	Price £
HSZ123200	1	Nozzle Insertion Collar	1.20
HSZ382800	2	Arc adjustment tool (G85B, G885E)	5.62
HSZ280100	3	Hunter Pitot gauge	78.83
HSZ460302	4	Guzzler Hand Pump	61.99
HSZ053191	5	T-Handle Tool	3.18
HSZ251000	6	Snap-ring Removal Tool	29.63
HSZ604000	7	Valve Insert/ Removal Tool G800	193.35
HSZ052805	8	Valve Insertion/Removal Tool (G900)	230.77
HSZ475600	9	Valve&Snapping Removal Pliers~G800	57.68
HSZG90HS100	10	Hose Swivel Adaptor for G90/G900	126.90
HSZG800HS100	11	Hose Swivel Adaptor for G800 Series	137.05
HSZ475700	12	Hunter Golf Rotor Tool Kit	636.17
HSST517600	13	ST-1600 Tool , Gear Drive R & R	100.49
HSZ160705	14	1" Spotshot	67.36
HSZ172000	16	Hunter wrench/key	0.61
HSST-1700-TOOL	17	ST1700 Valve tool	117.81
HSZMPTOOL	18	MP Rotator adjustment tool	1.79
HSMPGAUGE	19	MP Gauge	60.64
HSZFLAG	20	Hunter Marker Flag x 100	25.05

I SERIES SPARES

Catalogue No	Description	Price £
HSZMPR-25	MPR #25 Nozzle - I-20	0.30
HSZMPR-30	MPR #30 Nozzle - I-20	0.30
HSZMPR-35	MPR #35 Nozzle - I-20	0.30
HSZ352476	I-20 Rubber Cover	1.21
HSZ463401	I31 / I25 / G75 Nozzle - Yellow	1.20
HSZ463402	I31 / I25 / G75 Nozzle - White	1.20
HSZ463403	I31 / I25 / G75 Nozzle - Orange	1.20
HSZ463404	I31 / I25 / G75 Nozzle -Light Brown	1.20
HSZ463408	I31 / I25 / G75 Nozzle - Red	1.20
HSZ460010	I31 / I25 /G75 Nozzle Set	4.81
HSZ462458	I-40ADS Std Nozzle RK (6 nozzles)	3.01
HSZ462459	I-40ADS Opposing Nozzle RK	3.01
HSZ195703	I90 Blanking Nozzles - Right	2.43
HSZ195803	I90 Blanking Nozzles - Left	2.43

GOLF ROTOR SPARES

Catalogue No	Description	Price £
G70/75/875 SPARES		
HSZ402720	G75B Logo Cap	5.52
HSZ450500	G875 Riser Seal	2.76
HSZ610100	G875 Snap Ring Assembly	11.69
HSZ052383	G70B/75B/875 Riser Seal Lower Support	1.34
HSZ349100	G70B/G75B Riser Seal Upper Support	1.34
HSZ403400	G70B/G75B Upper Snap Ring (black)	14.78
HSZ461532	G75/G875 Std Nozzle set (adj arc)	20.59
HSZ382400	G75B Snap Ring Assy (Upper) Black	4.13
HSZ474210	Replacement Riser Assem for G70B	179.63
HSZ474211	Replacement Riser Assem for G75B	205.82
HSZ474571	Replacement Riser Assem for G875	224.53
HSZ348900	Riser Seal G70B / G75B	2.76

G85B/885 SPARES

HSZ256500	G885 Face Seal	10.27
HSZ271900	G85B Screen/Check Valve	8.36
HSZ562800	G800E Snap Ring-lower (white)	4.13
HSZ256600	G800 Stator Base (for 266500)	3.22
HSZ266500	G800 Adjustable Stator (Noz. No 23-53)	3.22
HSZ271000	G800 Variable Stator Assy (Noz. No 10-20)	15.41
HSZ450100	Upper Snap Ring Assy (Black) G885	11.69
HSZ454200	Selector Cap Yellow for G800 Series	6.42
HSZ460017	G85B Replacement Riser Assy #18	241.10
HSZ461536	Grey Selector Cap for G800 Series	9.67
HSZ525700	DIH Brace Decoder Support - Yellow	5.69
HSZ353600	DIH-100 1 Station Decoder/Solenoid	304.00
HSZ686500	DIH-200 2 Station Decoder/Solenoid	450.18
HSZ539200	Screen - Riser Inlet G885	5.79
HSZ549400	O-ring , Seal Block 231	3.85
HSZ517100	Seal Block Assy (w/o o-ring) G885	25.58
HSZ674800	Pressure Regulator for G885E	41.16
HSZ929700	G/GT 800 Series Inlet valve assy	102.92
HSZ803700	Nozzle Removal/Installation Tool	39.92
HSZ10007200	TTS Pressure Regulator Tool	26.19
HSZ914600	Selector Switch - Grey for TTS-800	4.99
HSZ914601	Selector Switch - Yellow for TTS-800	4.99

G85B/885/180 Primary Nozzles

HSZ272101	G800 Primary Nozzle No 23 Green	6.42
HSZ272102	G800 Primary Nozzle No 25 Blue	6.42
HSZ272103	G800 Primary Nozzle No 33 Grey	6.42
HSZ272104	G800 Primary Nozzle No 38 Red	6.42
HSZ272105	G800 Primary Nozzle No 43 Dk Brown	6.42
HSZ272106	G800 Primary Nozzle No 48 Dk Green	6.42
HSZ272107	G800 Primary Nozzle No 53 Dk Blue	6.42
HSZ272109	G800 Primary Nozzle No 13 Light Blu	6.42
HSZ272110	G800 Primary Nozzle No 15 White	6.42
HSZ272111	G800 Primary Nozzle No 18 Orange	6.42
HSZ272112	G800 Primary Nozzle No 20 Tan	6.42
HSZ301702	G800 Low Angle Nozzle No 25 Blue	6.42
HSZ301704	G800 Low Angle Nozzle No 38 Red	6.42
HSZ301705	G800 Low Angle Nozzle No 43 Brown/G	6.42
HSZ301706	G800 Low Angle Nozzle No 48 DK Gree	6.42
HSZ301707	G800 Low Angle Nozzle No 53 DK Blue	6.42
HSZ301711	G800 Low Angle Nozzle No 18 Orange	6.42
HSZ301712	G800 Low Angle Nozzle No 20 Tan	6.42
HSZ460023	G885/85 NOZZLE PACK 10-20	35.87
HSZ460024	G885/85 NOZZLE PACK 23-33	23.14
HSZ460025	G885/85 NOZZLE PACK 38-53	29.63

G85B/885/180 Short Range Nozzles

HSZ803601	G800 Short Range Nozzle Dk Red	2.56
HSZ803602	G800 Short Range Nozzle Red	2.56
HSZ803603	G800 Short Range Nozzle Orange	2.56
HSZ803604	G800 Short Range Nozzle Peach	2.56
HSZ803610	G800 Short Range Nozzle Dk Brown	2.56
HSZ803611	G800 Short Range Nozzle Tan	2.56

TRAVELLING SPRINKLERS

HUNTER TOOLS & SPARE PARTS CONTINUED

Catalogue No	Description	Price £
G85B/885/180 Mid Range Nozzles		
HSZ315300	G800 Secondary Plug Nozzle	1.29
HSZ315310	G800 Mid Range Nozzle Green	2.56
HSZ315311	G800 Mid Range Nozzle Lt Blue	2.56
HSZ315312	G800 Mid Range Nozzle DK Green	2.56
HSZ315313	G800 Mid Range Nozzle Lt Green	2.56
HSZ315314	G800 Mid Range Nozzle White	2.56
HSZ315315	G800 Mid Range Nozzle Blue	2.56
HSZ315317	G800 Mid Range Nozzle Gray	2.56
HSZ833500	G800 Mid Range Nozzle DK Blue	2.56

G900 Series SPARES		
HSZ664100	Rubber Logo Cap for G995	10.34
HSZ464364	G90 Primary Nozzle No 38 Red (25)	173.25
HSZ052830	G900 series Lower snap ring (white)	4.13
HSZ430700	G900 series snap ring assy (black)	5.52
HSZ191800	G990/995 Nozzle - short range	2.56
HSZ195701	G995 NOZZLE - MID RANGE	2.56
HSZ461204	G995E primary nozzle pack 8	59.87
HSZ473900	G995E Rubber Cover	173.39
HSZ643200	Inlet valve assy for 900 series	102.92
HSZ463004	Replacement Riser Assem for G995	237.01

ST SPARES		
HSZ10006600SP	Snap Ring for ST1700	7.70

POPE WATER TRACTOR



Travels along a 1/2" (12.5mm) hose at variable speed depending on flow and pressure.

It covers up to 15M diameter and is ideal for gardens.

Plastic construction with adjustable spray arms

Catalogue No	Description	Price £
69I15-00	Water Tractor	103.00

RAIN TRAIN TRAVELLING SPRINKLER



• Custom watering along the path of the hose propelling itself along the ground following the pattern laid by the hose

• A shut off ramp is provided to automatically shut of the sprinkler


• Diameter of coverage 5 - 14 meters, adjustable by twisting arms

• Minimum operating pressure 2.8 Bar (40psi)

• To be used with 1/2" or 3/4" hose

Catalogue No	Description	Price £
69-10-00	Rain Train Sprinkler	182.40
69-77360	Front Wheel Assembly	22.30
69-77361	Rear Wheel & Hub (x2)	22.30
69-77376	Plastic Motor Assembly c/w Shut Off	30.50
69-77506	Spray Arm Assembly	22.30
69-77529	Shut Off Ramp	11.80

PERROT ROLLCART-V



- Perrot's popular travelling sprinkler, full and part circle operation
- Connect hose to sprinkler, set arc & water up to 120 meters length
- Cord re-winds and pulls traveller along through a turbine driven pulley system
- Sprinkler radius up to 18 meters
- Speed of travel can be adjusted from 10 to 20 m/h
- Minimum operating pressure 3.5 Bar at the traveller
- Accurate distribution from Perrots ZE impact sprinkler
- Overall measurements 77 x 47 x 40 cm

Catalogue No	Description	Price £
69P10-00	RollcarT Travelling Sprinkler	1799.00

REGA RAINKING



Professional Traveller.

Covers up to 38M width and with 135M cable will cover up to 175M length
Min. 4m³/hr at 3 Bar pressure

Working Speed: 9.0 - 25 m/hr

Sprinkler Output: 4.3m³/h at 4 Bar

Diam of Coverage: 16-40M

3/4" F BSP INLET (ORDER HOSE FITTING SEPARATELY)

Catalogue No	Description	Price £
69K25-00	RainKing	1544.30
69K25-WH	Rega Spare Wheel + Cap	33.10
69KRL1030	1030 Replacement Sprinkler Head	84.00
69KZ-5008	RKT 5008 Turbine Wheel	50.40
69KZ-5009	RKT 5009 Turbine Disc	14.70
69KZ-5013	RKT 5013 Driving Nozzle 1.5mm	6.80
69KZ-5014	RKT 5014 Driving Nozzle 2mm	7.90
69KZ-5015	RKT 5015 Nozzle Guide	11.80
69KZ-5023	RKT 5023 Housing	75.20
69KZ-5042	RKT 5042 Threaded Elbow 1/8"	8.90
69KZ-5043	RKT 5043 Threaded Fitting 1/8"	8.50
69KZ-5044	RKT 5044 - PE Tube connection 220mm	2.70
69KZ-5054	RKT 5054 Flange Bearing - Right	90.50
69KZ-5058	RKT 5058 - Manometer	46.30
69KZ-5059	RKT 5059 Security Retraction Spring	20.30
69KZ-5066	RKT 5066 Ball Valve 3/4"	53.30
69KZ-5093	RKT 5093 Retraction Spring	17.90
69KZ-5097	RKT 5097 Wheel (black) 200x60	31.30
69KZ-5098	RKT 5098 Wheel Cap	5.50
69KZ-5501	RKT 5501 - Planetary Gear Set	801.90